

Contact Us Support and Downloads About Canon E-Store News and Press

PIXMA E410

Affordable All-In-One Printer

- Print, Scan, Copy
- ISO Standard print speed (A4): up to 4.0ipm (colour) / 8.0ipm (mono)

Full Specifications Compare



Images are for illustration purpose only.

Low Cost Cartridges



Affordable ink cartridges for high quality printing.

Compact and Lightweight



Allow the printer to easily fit into even the smaller spaces and shelves in a home.

Auto Power ON

PIXMA

PIXMA E410

INR 4 995.00

Call us: 1800-180-3366, 1800-208-3366



Auto Power ON detects a print command and will automatically switch the printer on with a USB connection.

Quiet Mode



Quiet Mode reduces operation noise to the bare minimum.

Specifications for PIXMA E410

Maximum Printing Resolution	4800 (horizontal)*1 x 600 (v	ertical) dpi	
Print Head / Ink	Туре	FINE Cartridge	
	Number of Nozzles	Total 1,280 nozzles	
	Ink Cartridge	PG-47, CL-57S	
Print Speed ^{*2} Based on ISO / IEC 24734.	Document: Colour:	ESAT / Simplex	Approx. 4.0ipm
Click here for summary report	Decument DAM	FCAT / Circulant	Annan O Oinn
Click here for Document Print and Copy Speed Measurement Conditions	Document: B/W:	ESAT / Simplex	Approx. 8.0ipm
Printable Width	Up to 203.2mm (8-inch)		
Printable Area	Bordered Printing	Top margin: 3mm, Bottom margin: 16.7mm, Left / Right margin: each 3.4mm (Letter / Legal: Left: 6.4mm, Right: 6.3mm)	
Recommended Printing Area	Top margin: 31.6mm Bottom margin: 29.2mm	ım	
Paper Size		x 6", 5 x 7", Envelopes (DI	_, COM10), Custom size (width 101.6
•	215.9mm, length 152.4 - 67		
Paper Handling	Plain Paper	A4, A5, B5, Letter = 60, L	egal = 10
Rear Tray	Photo Paper Plus Glossy II		
(Maximum Number)	(PP-201)	20,0 % 1	
(Glossy Photo Paper	4 x 6" = 20	
	, ,	4 x 0 = 20	
	"Everyday Use" (GP-601)	European DL / US Com.	#10-5
	Envelope	· '	# IU=0
	Glossy Photo Paper (GP-	4 x 6" = 20	
	508)	A 4 - CO	
	Canon Oce Red Label	A4 = 60	
	Paper (WOP111)		
	Canon Oce Office Colour Paper (SAT213)	ur A4 = 50	
Paper Weight	Rear Tray	Plain Paper: 64-105 g/m ²	2, Canon specialty paper: max paper
		weight: approx. 275 g/m ²	(Photo Paper Plus Glossy II (PP-201)
Ink End Sensor	Dot count	0 11 0	
Print Head Alignment	Manual		
Scan*3	Transa.		
Scanner Type	Flatbed		
Scanning Method	CIS (Contact Image Sensor)	
Optical Resolution*4	600 x 1200dpi		
Selectable Resolution*5	25 - 19200dpi		
Scanning Bit Depth (Input / Output)	Grayscale:	16bit / 8bit	
	Colour:	48bit / 24bit (RGB each 1	6bit / 8bit)
Line Scanning Speed*6	Grayscale:	1.2ms/line (300dpi)	,
Line dearning opeca	Colour:	3.5ms/line (300dpi)	
Scanning Speed*7	Reflective:	Approx. 19secs	
Scanning Speed	A4 Colour / 300dpi	, фр. ож. 100000	
Maximum Document Size	Flatbed:	A4 / Letter (216 x 297mm	1)
Copy		(,
Maximum Document Size	A4 / Letter (216 x 297mm)		
	,	A4, Letter	
Compatible Media	Size:	· ·	
Image Quality	Type: Plain Paper: Draft, Standard	Plain Paper	
Image Quality	Piain Paner: Draft Standard	1	
40		- FOOT / 0' - '	A
Copy Speed ^{*8}	Document: Colour	sFCOT / Simplex	Approx. 30secs.
	Document: Colour	sESAT / Simplex	Approx. 30secs. Approx. 1.8ipm
Copy Speed ^{*8} Multiple Copy		sESAT / Simplex 1 - 21 pages	Approx. 1.8ipm
	Document: Colour	sESAT / Simplex 1 - 21 pages	
Multiple Copy System Requirements(Please visit www.canon-	Document: Colour Black / Colour	sESAT / Simplex 1 - 21 pages	Approx. 1.8ipm
Multiple Copy System Requirements(Please visit www.canonasia.com to check OS compatibility and to	Document: Colour Black / Colour	sESAT / Simplex 1 - 21 pages	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2
Multiple Copy System Requirements(Please visit www.canonasia.com to check OS compatibility and to download the latest driver updates.)	Document: Colour Black / Colour Windows:	sESAT / Simplex 1 - 21 pages Windows 10, Windows 8,	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2
Multiple Copy System Requirements(Please visit www.canonasia.com to check OS compatibility and to download the latest driver updates.) General Specifications	Document: Colour Black / Colour Windows: Macintosh:	sESAT / Simplex 1 - 21 pages Windows 10, Windows 8,	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2
Multiple Copy System Requirements(Please visit www.canonasia.com to check OS compatibility and to download the latest driver updates.) General Specifications Interface	Document: Colour Black / Colour Windows: Macintosh: Hi-Speed USB	sESAT / Simplex 1 - 21 pages Windows 10, Windows 8,	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2
Multiple Copy System Requirements(Please visit www.canonasia.com to check OS compatibility and to download the latest driver updates.) General Specifications Interface	Document: Colour Black / Colour Windows: Macintosh:	sESAT / Simplex 1 - 21 pages Windows 10, Windows 8, Mac OS X v10.8.5and lat	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2
Multiple Copy System Requirements(Please visit www.canonasia.com to check OS compatibility and to download the latest driver updates.) General Specifications Interface Operating Environment*9	Document: Colour Black / Colour Windows: Macintosh: Hi-Speed USB Temperature: 5 - 35°C Humidity: 10 - 90% RH (no Temperature: 15 -30°C	sESAT / Simplex 1 - 21 pages Windows 10, Windows 8, Mac OS X v10.8.5and lat dew condensation)	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2
Multiple Copy System Requirements(Please visit www.canonasia.com to check OS compatibility and to download the latest driver updates.) General Specifications Interface Operating Environment*9 Recommended Environment *10	Document: Colour Black / Colour Windows: Macintosh: Hi-Speed USB Temperature: 5 - 35°C Humidity: 10 - 90% RH (no Temperature: 15 -30°C Humidity: 10 - 80% RH (no	sESAT / Simplex 1 - 21 pages Windows 10, Windows 8, Mac OS X v10.8.5and lat dew condensation)	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2
Multiple Copy System Requirements(Please visit www.canonasia.com to check OS compatibility and to download the latest driver updates.) General Specifications Interface Operating Environment*9	Document: Colour Black / Colour Windows: Macintosh: Hi-Speed USB Temperature: 5 - 35°C Humidity: 10 - 90% RH (no Temperature: 15 - 30°C Humidity: 10 - 80% RH (no Temperature: 0 - 40°C	sESAT / Simplex 1 - 21 pages Windows 10, Windows 8, Mac OS X v10.8.5and lat dew condensation) dew condensation)	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2
Multiple Copy System Requirements(Please visit www.canon- asia.com to check OS compatibility and to download the latest driver updates.) General Specifications Interface Operating Environment*9 Recommended Environment *10 Storage Environment	Document: Colour Black / Colour Windows: Macintosh: Hi-Speed USB Temperature: 5 - 35°C Humidity: 10 - 90% RH (no Temperature: 15 - 30°C Humidity: 10 - 80% RH (no Temperature: 0 - 40°C Humidity: 5 - 95% RH (no d	sESAT / Simplex 1 - 21 pages Windows 10, Windows 8, Mac OS X v10.8.5and lat dew condensation) dew condensation)	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2
Multiple Copy System Requirements(Please visit www.canon- asia.com to check OS compatibility and to download the latest driver updates.) General Specifications Interface Operating Environment *9 Recommended Environment *10 Storage Environment Quiet Mode	Document: Colour Black / Colour Windows: Macintosh: Hi-Speed USB Temperature: 5 - 35°C Humidity: 10 - 90% RH (no Temperature: 15 - 30°C Humidity: 10 - 80% RH (no Temperature: 0 - 40°C Humidity: 5 - 95% RH (no d Available	sESAT / Simplex 1 - 21 pages Windows 10, Windows 8, Mac OS X v10.8.5and lat dew condensation) dew condensation)	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2
Multiple Copy System Requirements (Please visit www.canon- asia.com to check OS compatibility and to download the latest driver updates.) General Specifications Interface Operating Environment*9 Recommended Environment *10 Storage Environment Quiet Mode Acoustic Noise (PC Print)	Document: Colour Black / Colour Windows: Macintosh: Hi-Speed USB Temperature: 5 - 35°C Humidity: 10 - 90% RH (no Temperature: 15 - 30°C Humidity: 10 - 80% RH (no Temperature: 0 - 40°C Humidity: 5 - 95% RH (no d Available Photo (4 x 6")*11	sESAT / Simplex 1 - 21 pages Windows 10, Windows 8, Mac OS X v10.8.5and lat dew condensation) dew condensation)	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2
Multiple Copy System Requirements (Please visit www.canonasia.com to check OS compatibility and to download the latest driver updates.) General Specifications Interface Operating Environment*9 Recommended Environment *10 Storage Environment Quiet Mode Acoustic Noise (PC Print)	Document: Colour Black / Colour Windows: Macintosh: Hi-Speed USB Temperature: 5 - 35°C Humidity: 10 - 90% RH (no Temperature: 15 - 30°C Humidity: 10 - 80% RH (no Temperature: 0 - 40°C Humidity: 5 - 95% RH (no d Available Photo (4 x 6")*11 AC 100-240V 50 / 60Hz	sESAT / Simplex 1 - 21 pages Windows 10, Windows 8, Mac OS X v10.8.5and lat dew condensation) dew condensation) ew condensation)	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2
Multiple Copy System Requirements (Please visit www.canonasia.com to check OS compatibility and to download the latest driver updates.) General Specifications Interface Operating Environment*9 Recommended Environment *10 Storage Environment Quiet Mode Acoustic Noise (PC Print)	Document: Colour Black / Colour Windows: Macintosh: Hi-Speed USB Temperature: 5 - 35°C Humidity: 10 - 90% RH (no Temperature: 15 - 30°C Humidity: 10 - 80% RH (no Temperature: 0 - 40°C Humidity: 5 - 95% RH (no d Available Photo (4 x 6")*11	sESAT / Simplex 1 - 21 pages Windows 10, Windows 8, Mac OS X v10.8.5and lat dew condensation) dew condensation)	Approx. 1.8ipm Windows 7 SP1, Windows Vista SP2

	Copying*12 Printing*12 (Wireless LAN connection PC)	Approx. 9W	
Environment	Regulation	RoHS (EU, China)*, WEEE (EU)* *To be fixed	
	Eco-Label	Energy Star* *To be fixed	
Dimension (W x D x H)	Approx. 426 x 306 x 145r	Approx. 426 x 306 x 145mm	
Weight	Approx. 3.4kg		

Specifications are subject to change without notice.

- *1 Ink droplets can be placed with a pitch of 1/4800 inch at minimum.
- Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO / IEC 24734.
 Photo print speed is based on the default setting using ISO / JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
 Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of
 - paper used etc.
- *3 TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source Manager comes with the operating system.
- *4 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- *5 Increasing the scanning resolution will limit the maximum possible scanning area.
- *6 The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- *7 Color document scan speed is measured with ISO / IEC 29183 Target A.
 - Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off.

 Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- *8 Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.
 - Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warm-up time.
- *9 The performance of the printer may be reduced under certain temperature and humidity conditions.
- *10 For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.
- will When printing ISO / JIS-SCID N2 on 4 x 6" Photo Paper Plus Glossy II using default settings.
- *12 Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
 Print: When printing ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

Disclaimer

- You need to install ink tanks or ink cartridges of all colours whether you perform black and white printing or colour printing. If any one of the
 ink tanks or ink cartridges is not installed, an error occurs and you cannot perform printing.
- Depending on the paper or the print settings, colour ink may be consumed even when you print a document in black or perform printing in black and white. When any one of the colours of ink has run out, you need to replace the ink tank or ink cartridge.
- When you use the Canon printer for the first time after you install the bundled ink tanks, the printer consumes a small amount of ink in the
 amount to enable printing by filling the nozzles of the Print Head with ink. For this reason, the number of sheets that can be printed with the
 first ink tanks is fewer than the succeeding ink tanks.
- The printing costs described in the brochures or websites are based on the consumption data from not the first ink tank / ink cartridge but
 the succeeding ink tank / ink cartridge.
- To keep printer's performance, Canon printer performs cleaning automatically according to its condition. When the printer performs
 cleaning, a small amount of ink is consumed. In this case, all colours of ink may be consumed.
 [Cleaning function]
 - The cleaning function helps the printer to suck air bubbles or ink itself from the nozzle and thus prevents print quality degradation or nozzle clogging.
- The repairing parts for printers will be available five years after production is discontinued. Depending on your model, we may ask you to
 replace it with a new one, or one with almost the same performance as a maintenance service. In this case, it may be that you cannot use
 supplies or accessories for your model or the compatible OS will be changed.
- The warranty term for details, contact a Canon-authorized sales representative in the country or region you live in.
- To obtain good printing quality, use up ink within six months after opening.
- Regarding a solution to a problem caused by using non-genuine ink cartridges (including ones supplemented with non-genuine ink by
 making a hole in the cartridge or so), a fee will be charged even within the warranty term. Keep this in your mind when you use nongenuine ink.
- If you use non-genuine ink cartridges (including ones supplemented with non-genuine ink by making a hole in the cartridge or so), they may have a negative effect on the performance of the printer or the printing quality may be reduced. In addition, though it is a rare case and does not present a safety hazard, it is reported that a print head will become heated or smoke will be emitted from it due to an ingredient not contained in genuine Canon ink. (Note that this does not apply to all non-genuine ink.)
- The following functions are available only on printers that use genuine Canon ink for all colours and support these functions. For supported functions, see the product specifications section for each model.
 - Printing CREATIVE PARK PREMIUM content via My Image Garden, Easy-PhotoPrint+, or PIXMA Cloud Link
 - Using the following applications via PIXMA Cloud Link
 - Scan to E-mail
 - Attach to Webmail
 - Scan to Office document

- Scan and Remote Print
- Saving scanned images to Dropbox, Google Drive, OneDrive, Evernote, OneNote
- A printer with a fax function stores the following fax data in printer's memory:
- Faxes not printed out due to conditions such as ink running out.
- Faxes in the send queue.

If you disconnect the power cord, the date and time settings are reset and faxes stored in the printer's memory will be deleted. Before you disconnect the power cord, confirm that faxes you need to keep have already been printed or sent.

Depending on your terminal, such as a computer or a smartphone, or the operating system of your terminal, such as your computer or smartphone, the information or the message related to the estimated remaining capacity of the maintenance cartridge usage displayed on the screen of your terminal may be different from the information or message displayed on the operation panel of the printer. Also, the message for the estimated remaining capacity of the maintenance cartridge usage may be displayed at a different point in time. Canon recommends that you use the information and massage displayed on the operation panel of the printer as your reference.

Consumables for PIXMA E410

Ink Cartridges / Bottles or Toner Cartridges

Consumables	Price
CL-57S (Colour)	INR 685.00
PG-47 (Pigment Black)	INR 570.00

Paper

Canon Premium

Premium white paper with consistent performance and reliability for high quality volume copying and printing. Produced using 100% Eucalyptus fibre offering high bulk and opacity.

For further enquiries and information please click <u>here</u> .

Size	Packaging	Price per ream
A4 (70gsm)	500 sheets/ream (5/ctn)	
A4 (80gsm)	500 sheets/ream (5/ctn)	



A4. 70asm



A4, 80gsm

· Canon Business High Grade

High grade white paper for general office use. Good opacity eliminates show-through with double sided copying and printing.

0 0 1 1	. ,	0 17	0 1 0
Size		Packaging	Price per ream
A4 (70gsm)		500 sheets/ream (5/ctn)	
A4 (80gsm)		500 sheets/ream (5/ctn)	



A4, 70gsm



Canon Standard

Canon Standard is made for high volume and quality printing while keeping the running cost competitive. Ideal paper for your daily high intensity printing needs.

Size	Packaging	Price per ream
A4 (70gsm)	500 sheets/ream (5/ctn)	
A4 (80gsm)	500 sheets/ream (5/ctn)	



A4. 70asm



A4, 80gsm

· Canon Recycled Plus

Canon Recycled Plus is a quality paper produced with 100% post-consumer waste, without optical whiteners. This paper enables excellent run-ability and is designed for broad range of home and office applications for customers where the environment is of vital importance.

Size		Packaging	Price per ream
A4 (80gsm)		500 sheets/ream (5/ctn)	



Top Colour Zero

Top Colour Zero papers undergo a special surface treatment during manufacture. The high degree of whiteness and satin gloss gives colour prints a distinctly vivid appearance. Excellent running characteristics allow processing from the paper tray of all colour copiers and laser printers making it ideal for business applications.

Size	Packaging	Price per ream
A4 (90gsm)	500 sheets/ream (5/ctn)	
A4 (100gsm)	500 sheets/ream (5/ctn)	
A4 (120gsm)	500 sheets/ream (4/ctn)	
A4 (160gsm)	250 sheets/ream (5/ctn)	
A4 (200gsm)	250 sheets/ream (4/ctn)	
A4 (250gsm)	250 sheets/ream (4/ctn)	



Canon Tints

Tints are evenly spread throughout the paper so every square centimeter on both sides of the paper has the same perfect colour. Canon Tints provide the perfect solution for every kind of business applications. For prints that are impressive, eye catching and vividly expressive. Suitable for copiers, laser printers and inkjet printers.

Size	Packaging	Price per ream
A4 80gsm (Cream)	500 sheets/ream (5/ctn)	
A4 80gsm (Yellow)	500 sheets/ream (5/ctn)	
A4 80gsm (Ice Blue)	500 sheets/ream (5/ctn)	
A4 80gsm (Medium Green)	500 sheets/ream (5/ctn)	
A4 80gsm (Lavender)	500 sheets/ream (5/ctn)	



- GP-601 Glossy Photo Paper
 - Economical
 - Good Photo Results
 - Glossy Finish. Vibrant Colour.
 - Grammage 210g/m²

Size	Packaging	Price
4R	10 sheets	
4R	30 sheets	
4R	100 sheets	



- GP-508 Glossy Photo Paper
 - Economical
 - Good Photo Results
 - Glossy Finish. Vibrant Colour.
 - Grammage 210g/m²

Size	Packaging	Price
4R	20 sheets	
4R	100 sheets	



- PP-208 Photo Paper Plus Glossy II
 - · High quality photo paper
 - · Ultra-glossy finish
 - Grammage 270g/m²

Size	Packaging	Price per ream
4 x 6"	20 sheets	
4 x 6"	100 sheets	
Δ4	20 sheets	



- PP-201 Photo Paper Plus Glossy II
 - Excellent Photographic Result
 - Glossy Finish. Vibrant Colour
 - Looks and Feels like a traditional photograph
 - Colours last up to 30 years
 - Grammage 265g/m²

Size	Packaging	Price
4R	20 sheets	INR 405.00
A4	20 sheets	INR 845.00
5 x 5" (13 x 13cm)	20 sheets	





- PS-108
 - Glossy
 - 16 stickers per sheet
 - Grammage 225g/m²

Size	Packaging	Price per ream
4 x 6"	5 sheets	



- PS-808
 - Glossy
 - Variety Pack, in 4 different types
 - Grammage 225g/m²

Size	Packaging	Price per ream
4 x 6"	12 sheets	



38

re this page Products **DSLRs**

Compact cameras

Inkjet printers Scanners

Consumables

Personal camcorders

(LEGRIA)

Compact photo printers

(SELPHY)

Professional camcorders

Projectors

Cinema EOS System

Where and How to Buy

Buy online

Where to buy

Extend warranty

Your Canon + You

8/24/2017

Your Canon + You

Canon Edge - Learn More,

Do More

EOS tips

Compact camera tips

Personal camcorder tips

PIXMA tips

Scanner tips

Consumer Beware

GST Information

Support and Downloads

Support and downloads

Warranty Terms &

Conditions

Service Network

Camera Repair Status

Contact and Canon

Contact us

About Canon

Notices

Case studies

E-Waste

Customer Testimonials

Corporate Social

Responsibility

Quality, Environment,

Health and Safety

Careers at Canon

News and Press

Statement on Canon India's

Official Social Media Sites

ducts RSS feed

and contests RSS feed