

# Canon

Delighting You Always India

Personal  
Business

Contact Us  
Support and Downloads  
About Canon  
E-Store  
News and Press

## PIXMA E560

**Ink Efficient with WiFi Capability**

- Print, Scan, Copy
- ISO Standard print speed (A4): up to 5.7ipm (colour) / 9.9ipm (mono)
- Photo Speed (4 x 6"): 44sec (borderless)

Full Specifications [Compare](#)

Product compared by others



Images are for illustration purpose only.

## PIXMA

PIXMA E560

INR 6 995.00

Call us: **1800-180-3366, 1800-208-3366**

### Lower Printing Costs



Enjoy lower cost of operation by printing up to 800 pages\* of A4 documents with the PG-89 ink cartridge! The CL-99 ink cartridge prints up to 300 pages\*.

\* In accordance with ISO / IEC 24712

### PIXMA Printing Solutions

#### App



Using a smartphone or tablet device, users can print documents and images stored on their devices, or scan a document directly into their devices. Available for iOS and Android OS devices.

### Wireless Connectivity



The PIXMA E560 is the first Canon PIXMA Ink Efficient printer to feature wireless LAN connectivity. Print, scan, and perform printer operations with ease, without the need to be tethered to a PC via USB.

### Auto 2-Sided Printing

### Auto Power ON



Save time and resources by printing 2-sided documents.

Auto Power ON detects a print command and will automatically switch the printer on.

## Specifications for PIXMA E560

Printer			
Maximum Printing Resolution	4800 (horizontal)*1 x 1200 (vertical) dpi		
Print Head / Ink	Type:	FINE Cartridge	
	Number of Nozzles:	Total 1,792 nozzles	
	Ink Droplet Size:	2pl	
	Ink Tank:	PG-89, CL-99	
Print Speed*2 Based on ISO / IEC 24734. Click here for summary report Click here for Document Print and Copy Speed Measurement Conditions	Document: Col	ESAT / Simplex	approx. 5.7ipm
	Document: B/W	ESAT / Simplex	approx. 9.9ipm
	Photo (4 x 6")	PP-201 / Borderless	approx. 44secs.
Printable Width	Up to 203.2mm (8 inch), Borderless: Up to 216mm (8.5 inch)		
Printable Area	Borderless Printing*3	Top / Bottom / Right / Left margin: each 0mm (Supported Paper Size: A4, LTR, 4 x 6", 5 x 7", 8 x 10")	
	Bordered Printing	Top margin: 3mm, Bottom margin: 5mm, Left / Right margin: each 3.4mm (LTR / LGL: Left: 6.4mm, Right: 6.3mm)	
	Bordered Auto 2-sided printing	Top margin: 5mm, Bottom margin: 5mm, Left / Right margin: each 3.4mm (LTR / LGL: Left: 6.4mm, Right: 6.3mm)	
Recommended Printing Area	Top margin: 32.5mm / Bottom margin: 33.5mm		
Paper Size	A4, A5, B5, LTR, LGL, 4 x 6", 5 x 7", 8 x 10", Envelopes (DL, COM10), Custom size (width 89 - 215.9mm, length 127 - 676mm)		
Paper Handling - Front Tray (Maximum Number)	Plain Paper	A4, A5, B5, LTR = 100, LGL = 10	
	High Resolution Paper (HR-101N)	A4 = 80	
	Photo Paper Pro Platinum (PT-101)	4 x 6" = 20, A4 = 10	
	Photo Paper Plus Glossy II (PP-201)	4 x 6" = 20, A4 = 10	
	Photo Paper Pro Luster (LU-101)	A4 = 10	
	Photo Paper Plus Semi-Gloss (SG-201)	4 x 6" = 20, A4, 8 x 10" = 10	
	Glossy Photo Paper "Everyday Use" (GP-601)	4 x 6" = 20, A4 = 10	
	Matte Photo Paper (MP-101)	4 x 6" = 20, A4 = 10	
	Envelope	European DL / US Com. #10 = 5	
Support Media for Auto 2-sided printing	Type	Plain Paper	
	Size	A4, A5, B5, LTR	
Paper Weight	- Front Tray	Plain Paper: 64 - 105g/m <sup>2</sup> , Canon specialty paper: max paper weight: approx. 300g/m <sup>2</sup> (Photo Paper Pro Platinum PT-101)	
Ink End Sensor	Dot count		
Print Head Alignment	Manual		
Scan*4			
Scanner Type	Flatbed		
Scanning Method	CIS (Contact Image Sensor)		
Optical Resolution*5	1200 x 2400dpi		
Selectable Resolution*6	25 - 19200dpi		
Scanning Bit Depth (Input / Output)	Grayscale:	16 / 8-bits	
	Colour:	48 / 24-bits (RGB each 16 / 8-bits )	
Line Scanning Speed*7	Grayscale:	1.2ms/line (300dpi)	
	Colour:	3.5ms/line (300dpi)	
Scanning Speed*8	Reflective:	Approx. 14secs.	
	A4 Colour / 300dpi		
Maximum Document Size	Flatbed:	A4 / LTR (216 x 297mm)	
Copy			
Maximum Document Size	A4 / LTR (216 x 297mm)		

Compatible Media	Size:	A4, LTR, 4 x 6" (PP-201)
	Type:	Plain Paper Photo Paper Plus Glossy II (PP-201) (4 x 6")
Image Quality	Plain Paper:	Fast, Standard
Copy Speed* <sup>9</sup> Based on ISO / IEC 24735 and ISO / IEC 29183 standard. Click here for summary report Click here for Document Print and Copy Speed Measurement Conditions	Document: Colour: sFCOT / Simplex:	approx. 25secs.
	Document: Colour: sESAT / Simplex:	Approx. 2.5ipm
Multiple Copy	Black / Colour	1 - 21 pages
<b>Network</b>		
Protocol	TCP / IP	
Wireless LAN	Network Type	IEEE 802.11n / IEEE 802.11g / IEEE 802.11b
	Frequency Band	2.4GHz
	Channel* <sup>10</sup>	1 - 13
	Range	indoor 50m (depends on the transmission speed and conditions)
	Security	WEP 64 / 128-bit, WPA-PSK (TKIP / AES), WPA2-PSK (TKIP / AES)
<b>System Requirements</b>		
Windows:	(Please visit <a href="http://www.canon-asia.com">www.canon-asia.com</a> to check OS compatibility and to download the latest driver updates.)	Windows 8 / Windows 7 / Windows XP / Windows Vista
Macintosh:		Mac OS X v10.6.8 and later
<b>General Specifications</b>		
Interface	Wireless LAN IEEE 802.11b/g/n, USB 2.0 Hi-Speed	
Google Cloud Print	Available	
PIXMA Printing Solutions	Available	
Operating Environment	Temperature: 15 - 30°C; Humidity: 10 - 80% RH (no dew condensation)	
Storage Environment	Temperature: 0 - 40°C; Humidity: 5 - 95% RH (no dew condensation)	
Acoustic Noise (PC Print)	Photo (4 x 6")* <sup>11</sup>	approx. 42.5dB(A)
<b>Power</b>	AC 100 - 240V, 50 / 60Hz	
Power Consumption	Standby (scanning lamp is off)	Approx. 1.7W
	Wireless LAN connection to PC	
	OFF:	Approx. 0.3W
	Copying* <sup>12</sup> Wireless LAN connection to PC	Approx. 16W
Environment	Regulation:	RoHS (EU, China), WEEE (EU)
	Eco-Label:	Energy Star
Dimension (W x D x H)		approx. 449 x 304 x 152mm
Weight		approx. 5.4kg

Specifications are subject to change without notice.

- \*1 Ink droplets can be placed with a pitch of 1/4800 inch at minimum.
- \*2 Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO / IEC 24734. Photo print speed is based on the default setting using ISO / JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- \*3 Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers.
- \*4 TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source Manager comes with the operating system.
- \*5 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- \*6 Increasing the scanning resolution will limit the maximum possible scanning area.
- \*7 The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- \*8 Color document scan speed is measured with ISO / IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- \*9 Copy speeds are the average of sFCOT and sESAT, ISO / IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warm-up time.
- \*10 1 - 11 in US, CND, LTN, BRA and TW.
- \*11 When printing ISO / JIS-SCID N2 on 4 x 6" Photo Paper Plus Glossy II using default settings.
- \*12 When printing ISO / JIS-SCID N2 on A4 size plain paper using default settings.

#### Disclaimer

- You need to install ink tanks or ink cartridges of all colours whether you perform black and white printing or colour printing. If any one of the ink tanks or ink cartridges is not installed, an error occurs and you cannot perform printing.
- Depending on the paper or the print settings, colour ink may be consumed even when you print a document in black or perform printing in

black and white. When any one of the colours of ink has run out, you need to replace the ink tank or ink cartridge.
<ul style="list-style-type: none"> <li>When you use the Canon printer for the first time after you install the bundled ink tanks, the printer consumes a small amount of ink in the amount to enable printing by filling the nozzles of the Print Head with ink. For this reason, the number of sheets that can be printed with the first ink tanks is fewer than the succeeding ink tanks.</li> </ul>
<ul style="list-style-type: none"> <li>The printing costs described in the brochures or websites are based on the consumption data from not the first ink tank / ink cartridge but the succeeding ink tank / ink cartridge.</li> </ul>
<ul style="list-style-type: none"> <li>To keep printer's performance, Canon printer performs cleaning automatically according to its condition. When the printer performs cleaning, a small amount of ink is consumed. In this case, all colours of ink may be consumed. [Cleaning function] The cleaning function helps the printer to suck air bubbles or ink itself from the nozzle and thus prevents print quality degradation or nozzle clogging.</li> </ul>
<ul style="list-style-type: none"> <li>The repairing parts for printers will be available five years after production is discontinued. Depending on your model, we may ask you to replace it with a new one, or one with almost the same performance as a maintenance service. In this case, it may be that you cannot use supplies or accessories for your model or the compatible OS will be changed.</li> </ul>
<ul style="list-style-type: none"> <li>The warranty term for free repair varies from country to country and starts from the date of purchase. Free repair does not apply to supplies (paper or ink tanks / cartridges / print head) even within the warranty term.</li> </ul>
<ul style="list-style-type: none"> <li>To obtain good printing quality, use up ink within six months after opening.</li> </ul>
<ul style="list-style-type: none"> <li>Regarding a solution to a problem caused by using non-genuine ink cartridges (including ones supplemented with non-genuine ink by making a hole in the cartridge or so), a fee will be charged even within the warranty term. Keep this in your mind when you use non-genuine ink.</li> </ul>
<ul style="list-style-type: none"> <li>If you use non-genuine ink cartridges (including ones supplemented with non-genuine ink by making a hole in the cartridge or so), they may have a negative effect on the performance of the printer or the printing quality may be reduced. In addition, though it is a rare case and does not present a safety hazard, it is reported that a print head will become heated or smoke will be emitted from it due to an ingredient not contained in genuine Canon ink. (Note that this does not apply to all non-genuine ink.)</li> </ul>
<ul style="list-style-type: none"> <li>CREATIVE PARK PREMIUM is a premium content service available exclusively to users only when all of the colours of genuine Canon inks are installed.</li> </ul>
<ul style="list-style-type: none"> <li>A printer with a fax function stores the following fax data in printer's memory: <ul style="list-style-type: none"> <li>- Faxes not printed out due to conditions such as ink running out.</li> <li>- Faxes in the send queue.</li> </ul>           If you disconnect the power cord, the date and time settings are reset and faxes stored in the printer's memory will be deleted. Before you disconnect the power cord, confirm that faxes you need to keep have already been printed or sent.</li> </ul>
<ul style="list-style-type: none"> <li>If you will be installing the Canon printer driver on Mac OS X and using the printer through a network connection, you can select [Bonjour] or [canonijnetwork] in the [Add Printer] dialog. If [Bonjour] is selected, remaining ink level messages may differ from those indicated by [canonijnetwork]. [canonijnetwork] is not displayed if the Canon printer driver is not installed. Access our web site through the Internet and download the latest printer driver for your model. Canon recommends you to use [canonijnetwork] for printing.</li> </ul>

## Consumables for PIXMA E560

### Ink Cartridges / Bottles or Toner Cartridges

Consumables	Price
CL-99 (Colour)	INR 1 145.00
PG-89 (Pigment Black)	INR 900.00

### Paper

- Canon Premium  
Premium white paper with consistent performance and reliability for high quality volume copying and printing. Produced using 100% Eucalyptus fibre offering high bulk and opacity.  
For further enquiries and information please click [here](#) .

Size	Packaging	Price per ream
A4 (70gsm)	500 sheets/ream (5/ctn)	
A4 (80gsm)	500 sheets/ream (5/ctn)	



A4, 70gsm



A4, 80gsm

- Canon Business High Grade  
High grade white paper for general office use. Good opacity eliminates show-through with double sided copying and printing.

Size	Packaging	Price per ream
A4 (70gsm)	500 sheets/ream (5/ctn)	
A4 (80gsm)	500 sheets/ream (5/ctn)	



A4, 70gsm



A4, 80gsm

- Canon Standard

Canon Standard is made for high volume and quality printing while keeping the running cost competitive. Ideal paper for your daily high intensity printing needs.

Size	Packaging	Price per ream
A4 (70gsm)	500 sheets/ream (5/ctn)	
A4 (80gsm)	500 sheets/ream (5/ctn)	



A4, 70gsm



A4, 80gsm

- Canon Recycled Plus

Canon Recycled Plus is a quality paper produced with 100% post-consumer waste, without optical whiteners. This paper enables excellent run-ability and is designed for broad range of home and office applications for customers where the environment is of vital importance.

Size	Packaging	Price per ream
A4 (80gsm)	500 sheets/ream (5/ctn)	



- Top Colour Zero

Top Colour Zero papers undergo a special surface treatment during manufacture. The high degree of whiteness and satin gloss gives colour prints a distinctly vivid appearance. Excellent running characteristics allow processing from the paper tray of all colour copiers and laser printers making it ideal for business applications.

Size	Packaging	Price per ream
A4 (90gsm)	500 sheets/ream (5/ctn)	
A4 (100gsm)	500 sheets/ream (5/ctn)	
A4 (120gsm)	500 sheets/ream (4/ctn)	
A4 (160gsm)	250 sheets/ream (5/ctn)	
A4 (200gsm)	250 sheets/ream (4/ctn)	
A4 (250gsm)	250 sheets/ream (4/ctn)	
A4 (300gsm)	Not Available	



- Canon Tints

Tints are evenly spread throughout the paper so every square centimeter on both sides of the paper has the same perfect colour. Canon Tints provide the perfect solution for every kind of business applications. For prints that are impressive, eye catching and vividly expressive. Suitable for copiers, laser printers and inkjet printers.

Size	Packaging	Price per ream
A4 80gsm (Cream)	500 sheets/ream (5/ctn)	
A4 80gsm (Yellow)	500 sheets/ream (5/ctn)	
A4 80gsm (Ice Blue)	500 sheets/ream (5/ctn)	
A4 80gsm (Medium Green)	500 sheets/ream (5/ctn)	
A4 80gsm (Lavender)	500 sheets/ream (5/ctn)	



- GP-601 Glossy Photo Paper

- Economical
- Good Photo Results
- Glossy Finish. Vibrant Colour.
- Grammage - 210g/m<sup>2</sup>

Size	Packaging	Price
4R	10 sheets	
4R	30 sheets	
4R	100 sheets	
A4	20 sheets	



- GP-508 Glossy Photo Paper

- Economical
- Good Photo Results
- Glossy Finish. Vibrant Colour.
- Grammage - 210g/m<sup>2</sup>

Size	Packaging	Price
4R	20 sheets	
4R	100 sheets	
A4	20 sheets	INR 265.00



- PP-208 Photo Paper Plus Glossy II

- High quality photo paper
- Ultra-glossy finish
- Grammage - 270g/m<sup>2</sup>

Size	Packaging	Price per ream
4 x 6"	20 sheets	
4 x 6"	100 sheets	
A4	20 sheets	



- PP-201 Photo Paper Plus Glossy II
  - Excellent Photographic Result
  - Glossy Finish. Vibrant Colour
  - Looks and Feels like a traditional photograph
  - Colours last up to 30 years
  - Grammage - 265g/m<sup>2</sup>

Size	Packaging	Price
4R	20 sheets	INR 405.00



- PT-101 Photo Paper Pro Platinum
  - Professional Photographic Result
  - Ultra Glossy and Heavyweight
  - Colours last up to 300 years
  - Grammage - 300g/m<sup>2</sup>

Size	Packaging	Price
4R	20 sheets	



- PS-108
  - Glossy
  - 16 stickers per sheet
  - Grammage - 225g/m<sup>2</sup>

Size	Packaging	Price per ream
4 x 6"	5 sheets	



- PS-208
  - Glossy
  - Free Cutting
  - Cut out according to a variety of interesting shapes

- Grammage - 225g/m<sup>2</sup>

Size	Packaging	Price
4 x 6"	5 sheets	



- PS-308R
  - Cloth surface
  - Removable
  - Grammage – 295g/m<sup>2</sup>

Size	Packaging	Price
4 x 6"	5 sheets	



- PS-808
  - Glossy
  - Variety Pack, in 4 different types
  - Grammage - 225g/m<sup>2</sup>

Size	Packaging	Price per ream
4 x 6"	12 sheets	



- SG-201 Photo Paper Plus Semi-Gloss
  - Semi-gloss finish
  - Grammage - 260g/m<sup>2</sup>

Size	Packaging	Price
4R	20 sheets	





- Compact cameras
- Inkjet printers
- Scanners
- Consumables
- Personal camcorders  
(LEGRIA)
- Compact photo printers  
(SELPHY)
- Professional camcorders
- Projectors
- Cinema EOS System
- Where and How to Buy
- Buy online
- Where to buy
- Extend warranty
  - Your Canon + You
  - Your Canon + You
  - Canon Edge - Learn More,  
Do More
  - EOS tips
  - Compact camera tips
  - Personal camcorder tips
  - PIXMA tips
  - Scanner tips
  - Consumer Beware
  - GST Information
  - Support and Downloads
  - Support and downloads
  - Warranty Terms &  
Conditions
  - Service Network
  - Camera Repair Status
- Contact and Canon
- Contact us
- About Canon
- Notices
- Case studies
- E-Waste
- Customer Testimonials
- Corporate Social  
Responsibility
- Quality, Environment,  
Health and Safety
- Careers at Canon
- News and Press
- Statement on Canon India's  
Official Social Media Sites
- Products RSS feed
- Contests and contests RSS feed