

HP LaserJet MFP M436 Printer series



Affordable A3 copier—your desktop copying workhorse

Count on reliable, affordable A3 MFP productivity to expand potential. Simplify workflows with efficient scan solutions and copying, and get networking plus remote monitoring.¹ Save resources and time with automatic paper-handling features.^{2,3}



HP LaserJet MFP M436n Printer

Set the pace with reliable A3 productivity

- Conserve resources with automatic two-sided printing and copying—consume up to 50% less paper.
- Capture both sides of the page with ease, using the 100-sheet reversing automatic document feeder.
- Launch tasks at the device—streamline copying; capture a two-sided ID; and darken, enlarge, or reduce images.
- Create a one-sided copy of a two-sided ID—quickly capture the front and back on a single-sided page.



HP LaserJet MFP M436dn Printer

Business copying performance without compromise

- Put affordable MFP performance with exceptional value to work for your business.
- Help protect your investment and get affordable running costs, using Original HP toner cartridges.

Built-in networking and remote monitoring

- Easily set up, print, and share printing resources with built-in Ethernet networking.
- Identify new devices and gain insight into printing with HP Web Jetadmin remote discovery and monitoring.¹



HP LaserJet MFP M436nda Printer

Product walkaround

1. Automatic document feeder (ADF) cover
2. ADF width guide
3. Scanner glass (A3)
4. 250-sheet output bin
5. Front door access to toner cartridges
6. 250-sheet input tray 2
7. 250-sheet input tray 3 (optional)²
8. 100-sheet reversing ADF (input)¹
9. ADF output tray
10. 4-line LCD, 10 key pad, 4-button quick set
11. 100-sheet multipurpose tray 1
12. Tray 3 jam cover
13. Hi-Speed USB 2.0 printing port
14. Built-in Ethernet 10/100 Base TX networking
15. Automatic two-sided printing and copying³



HP LaserJet MFP M436nda Printer

Series at a glance



Model	HP LaserJet MFP M436n Printer	HP LaserJet MFP M436dn Printer	HP LaserJet MFP M436nda Printer
Product number	W7U01A	2KY38A	W7U02A
Print/copy speed up to 23 ppm⁴	Yes	Yes	Yes
Input capacity: 350 sheets (standard), 600 sheets (maximum) with optional 250-sheet tray	Yes	Yes	Yes
Output capacity: 250 sheets	Yes	Yes	Yes
Built-in Ethernet networking	Yes	Yes	Yes
100-sheet reversing ADF	Optional	Optional	Yes
Automatic duplex printing and copying	Not available	Automatic duplex printing	Yes

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hr Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization
For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



Windows 8



Top Features

Move business forward with affordable A3 printing and copying at up to 23 ppm.⁴ Save time and resources with automatic two-sided printing and two-sided scanning.^{2,3} Simplify workflows—send scans where they need to go directly from the MFP.

Get high-quality pages with affordable running costs, using Original HP toner cartridges and long-life drums. Print more pages with fewer interruptions, using high-yield cartridges—up to 13,700 pages (ISO)⁴.

Gain connections for the modern work style, and remotely monitor your environment. Quickly share resources with built-in 10/100 Ethernet. Gain fresh insight into your environment with remote discovery and monitoring.¹

Product

2KY38A	HP LaserJet MFP M436dn Printer
W7U01A	HP LaserJet MFP M436n Printer
W7U02A	HP LaserJet MFP M436nda Printer

Accessories Service Part

SAM -SL-ADF250D	HP LaserJet 100 Sheet Reverse ADF
SAM -SL-SCF2080	HP LaserJet 250 Sheet Media Tray

Only to be installed by qualified service technician.

Supplies

CF256A	HP 56A Black Original LaserJet Toner Cartridge (yield ~7,400 ISO pages)
CF256X	HP 56X High Yield Black Original LaserJet Toner Cartridge (yield ~13,700 ISO pages)
CF257A	HP 57A Original LaserJet Imaging Drum (yield ~80,000 pages)

HP Care Packs

U9JT4E	HP 3y Nbd+DMR LJ M436 MFP HW Supp
U9JT5E	HP 4y Nbd+DMR LJ M436 MFP HW Supp
U9JT6E	HP 5y Nbd+DMR LJ M436 MFP HW Supp
U9JT7E	HP 3y 4h 9x5+DMR LJ M436 MFP HW Supp
U9JT8E	HP 4y 4h 9x5+DMR LJ M436 MFP HW Supp
U9JT9E	HP 5y 4h 9x5+DMR LJ M436 MFP HW Supp
U9JU3E	HP 1y PW Nbd+DMR LJ M435 MFP HW Supp
U9JU4E	HP 1y PW 4h 9x5+DMR LJ M435 MFP HW Supp
U9JT2E	HP Inst SVC w/nw Workgroup Printer

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja
HP Universal Print Driver: hp.com/go/upd
HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet MFP M436 Printer series

Model	HP LaserJet MFP M436n Printer	HP LaserJet MFP M436dn Printer	HP LaserJet MFP M436nda Printer
Product number	W7U01A	2KY38A	W7U02A
Functions	Print, Copy, Scan		
Print			
Duplex print options	No	Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycled, Intermediate, LetterHead, Prepunched; A4, A5, B5(JIS), Letter, Executive, Statement, A3, B4(JIS), B5(JIS), 8K, 16K, 11x17, Legal, Oficio 216x340, Oficio 8.5x13; 16~29 lb, (60~110g)	
Print speed	Black (normal, A4): Up to 23 ppm ; Black (normal, letter): Up to 23 ppm	Black (normal, A4): Up to 23 ppm ; Black (normal, letter): Up to 23 ppm ; Black (Duplex, A4): Up to 12 ppm ; Black (Duplex, letter): Up to 12 ppm	Black (A4, ready): As fast as 8.6 sec; Black (A4, sleep): 24 seconds
First page out	Black (A4, ready): As fast as 8.8 sec; Black (A4, sleep): 25 seconds	Black (A4, ready): As fast as 8.8 sec	Black (A4, ready): As fast as 8.6 sec; Black (A4, sleep): 24 seconds
Print technology	Laser		
Print resolution	Black (best): Optical: 600 x 600 x 2 bit dpi; Enhanced: 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi		
Print resolution technology	Laser		
Standard print languages	PCL5E, PCL6		
Printer management	Printer Administrator Resource Kit for HP Universal Print Driver; UPD Active Directory Template; AutoUpgradeUPD; Driver Configuration Utility; Driver Deployment Utility; HP Managed Printing Administration; PRNCON.EXE; HPPRLOG; Migrate-Server-Tools; UpdateNow; Remove Plug and Play Drivers; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; HP JetAdvantage Security Manager; HP Web Jetadmin Software		
Scan			
Scan type technology	Type: D-CIS; Technology: D-CIS		
Scan speed	Normal, A4: Up to 30 ipm (With ADF Accessory)	Normal, A4: Up to 30 ppm (With ADF Accessory)	Normal, A4: Up to 30 ipm
Scan resolution	Enhanced: Up to 1200 x 1200 dpi with reduced speed Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi		
Color scanning	Yes		
Scan size	Flatbed: 297 x 432 mm; ADF scan size: Optional ADF: 297 x 432 mm		Flatbed: 297 x 432 mm; ADF scan size: 297 x 432 mm
Scan input mode	TWAIN, WIA; Scan to PC (Local, Network) from ADF or Platen		
Scan file format	TIFF, JPEG, PDF, BMP		
Copy			
Copy speed	Black (normal, A4): Up to 23 cpm; Black (normal, letter): Up to 23 cpm		
First copy out	Black (A4): Less than 7.4 seconds; Black (A4, sleep): Less than 25 seconds; Black (letter): As fast as 7.5 sec	Black (letter): As fast as 7.5 sec	Black (A4): Less than 7.8 seconds; Black (letter): As fast as 7.4 sec
Copy resolution	Black (text and graphics): Platen: Scan 600 x 600, Printing 600 x 600; Document feeder: Scan 600 x 600, Printing 600 x 600 Color (text and graphics): Up to 600 x 600 dpi		
Max no of copies	Up to 999		
Copier resize	25 to 400%		
Copier settings	600 x 600 dpi x 2 bit; Originals content settings: Text, Text/Photo, Photo, Map; Reduce/Enlarge scaling: 25 to 400%; Copy qty settings: 1 to 999; Darkness controls: 11 levels (Light, Normal, Dark); Colation: Yes (Limited); N-up: A3: 2/4/8/16-up; A4: 2/4/8-up		
Connectivity			
Standard connectivity	High speed USB 2.0		
Network Capabilities	Built-in Ethernet 10/100 Base-TX network		
Memory	Standard: 128 MB; Maximum: Memory (Onboard) Standard/Maximum: 128 MB		
Processor speed	600 MHz		
Duty cycle (monthly)	Up to 50,000 pages per month; Recommended monthly page volume: up to 5,000		
Paper handling			
Input	100-sheet multi-purpose tray 1, 250-sheet input tray 2, automatic two-sided printing		
Output	Up to 250 Sheets		
Media type	Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycled, Intermediate, Letterhead, Prepunched		
Media weight	Tray 1: 60 to 163 g/m ² ; Tray 2: 60 to 110 g/m ² ; Optional Tray 3: 60 to 110 g/m ² ; Optional ADF: 60 to 195 g/m ²		
Media sizes custom	Tray 1: Minimum: 125 x 102 mm, Maximum: 306 x 914 mm; Tray 2: Minimum: 148 x 182 mm, Maximum: 297 x 432 mm; Optional Tray 3: Minimum: 148 x 172 mm, Maximum: 297 x 432 mm		
Dimensions (W x D x H)	560 x 540 x 413 mm		560 x 583 x 505 mm
Weight	25 kg (includes supplies)	25.4 kg (includes supplies)	30 kg (includes supplies)
What's in the box	HP LaserJet MFP M436 series; HP Original Black LaserJet Introductory Toner Cartridge (~4,000 page yield); HP Original LaserJet Imaging Drum (~80,000 page yield); Printer documentation and software on CD-ROM; Quick Install Guide; Power Cord; USB Cable		
Warranty features	One-year, on-site limited warranty		
Systems			
Compatible operating systems	Windows OS compatible with In-Box Driver; Windows XP all 32- & 64-bit editions, Windows Vista all 32- & 64-bit editions, Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From http://www.hp.com); Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows 8/8.1/10 RT; Other OS; Linux (available from HPLIP)		
Minimum system requirements	PC: CD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; (For OS hardware requirements see microsoft.com) Mac:		
Security management	Embedded Web Server: password protection, configurable login failure policy, configurable auto logout, IPv4 address protection, secure browsing via SSL/TLS		
Fonts and Typefaces	49 Scalable Fonts (Include OCR-A / OCR-B) / 1 Bitmap		
Control panel	4-Line LCD, 4 Quick-launch buttons		
Display	4-Line LCD		
Power	Power supply type: Internal (Built-in) power supply; Power supply required: AC 220 - 240V: 50/60Hz, Normal Operation 550W, Ready 80W, Max/Peak 1.1kWh, Sleep/Power Off 1W/0.2W, TEC 0.998kWh; Power consumption: TEC: 0.998 kWh; Typical Electricity Consumption number: 0.998kWh		
Software included	For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Update, Product Registration Assist, Online user manuals; HP Scan App and Drivers		
Acoustics	Acoustic Power Emissions: 6.5 B(A); Acoustic Power Emissions (ready): 6.5 B(A); Acoustic Pressure Emissions Bystander (active, printing): 49 dB(A); Acoustic Pressure Emissions Bystander (ready): 30 dBA		
Environmental ranges	Operating Temperature Range: 10 to 30°C; Recommended Operating Temperature: 10 to 30°C; Non-operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 20 to 80% RH; Recommended Operating Humidity Range: 20 to 80% RH		
Safety approvals and requirements	GB4943.1-2011	IEC 60950-1:2005 +A1:2009 +A2:2013 (International), EN 60950-1:2006 +A1 1:2009 +A1:2010 +A12:2011 +A2:2013 (EU), IEC 60825-1:2014, EN60825-1:2014 (Class 1 Laser/LED Device), Low Voltage Directive 2014/35/EU with CE Marking (Europe) GB4943.1-2011; other safety approvals as required by individual countries	GB4943.1-2011
Supported network protocols	IP Management: DHCP, DHCPv6, BOOTP, AutolP, Static; Discovery Protocol: SLP, UPnP, mDNS, DNS, WINS; Printing Protocol: TCP/IP (9100), TCP/IP (9100)v6, LPR, LPR6, IPP, WSD; Management Protocol: SNMPv1.2, SNMPv1.2(IPv6), SNMP3, SNMP3(IPv6, HTTP); Scan Protocol: Twain for Network; Security Protocol: IPSec		

Footnotes

¹ Not all HP Web Jetadmin features are supported on the HP LaserJet MFP M436. HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>

² Automatic two-sided printing is standard on the HP LaserJet MFP M436dn and HP LaserJet MFP M436nda.

³ Reversing automatic document feeder is standard on the HP LaserJet MFP M436nda only. Requires a separate purchase for the HP LaserJet MFP M436n and HP LaserJet MFP M436dn.

⁴ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Product Walkaround disclaimers

¹ Reversing automatic document feeder is standard on the HP LaserJet MFP M436nda only. Requires a separate purchase for the HP LaserJet MFP M436n and HP LaserJet MFP M436dn.

² Purchase of optional paper tray required to reach maximum input capacity.

³ Automatic two-sided printing is standard on the HP LaserJet MFP M436dn and HP LaserJet MFP M436nda.

⁴ Measured using ISO/IEC 24734 and excludes the first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

To learn more, visit hp.com

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

