Canon Delighting You Always India Personal Business

# PIXMA G3000

**Refillable Ink Tank Wireless All-In-One** 

# for High Volume Printing

Canon's first refillable ink tank system All-In-One wireless printer is designed for high volume printing at low running cost. Also supports the new Canon PRINT Inkjet/SELPHY mobile printing app and PIXMA Cloud Link™.

- Print, Scan, Copy
- ISO Standard print speed (A4): up to 8.8ipm (mono) / 5.0ipm (colour)
- Prints a 4 x 6" borderless photo in 60secs.

Full Specifications Compare



Images are for illustration purpose only.

# **High Page Yield Ink Bottles**



With high page yield ink bottles up to 7000 pages, users can enjoy printing without having to worry about cost of ink, or ink supplies running low.

# Integrated Ink Tank System



Built-in integrated ink tanks create a compact printer body. Users can also view remaining ink levels easily at a glance.

# Quality Photo and

# **Document Printing**



Borderless photos can be printed up to A4 size, and Canon's Hybrid ink system is equally adept at producing crisp black text documents and stunning photos.

Contact Us Support and Downloads About Canon E-Store News and Press



PIXMA G3000

Call us: 1800-180-3366, 1800-208-3366

Wireless LAN

**Access Point Mode** 



Built-in wireless LAN connectivity allows users to print wirelessly from PCs, laptops, mobile phones and tablet computers.





The G3000 can behave as an access point in the absence of a wireless router, allowing a direct connection to be established to mobile phones and tablet PCs. The new Canon PRINT Inkjet/SELPHY app supports easy, guided printing from mobile phones and tablet PCs. Also supports printing from cloud services such as Facebook and Dropbox via PIXMA Cloud Link.

# **Specifications for PIXMA G3000**

Print			
Maximum Printing Resolution	4800 (horizontal)* <sup>1</sup> x 1200 (vertical) dpi		
Print Head / Ink	Туре:	Individual Ink Bottle	
	Number of Nozzles:	Total 1,472 nozzles	
	Ink Droplet Size:	2pl min	
	Ink Bottle:	GI-790 (Cyan, Magenta, Yellow, Black)	
Print Speed* <sup>2</sup>	Document: Colour: ESAT / Simplex:	Approx. 5.0ipm	
Based on ISO / IEC 24734.	Document: B/W:	Approx. 8.8ipm	
Click here for summary report Click here for Document Print and Copy Speed	ESAT / Simplex:		
Measurement Conditions	Photo (4 x 6"): PP-201 / Borderless	Approx. 60secs.	
Printable Width	Bordered:	Up to 203.2mm (8 inch)	
	Borderless:	Up to 216mm (8.5 inch)	
Printable Area	Borderless Printing* <sup>3</sup> :	Top / Bottom / Right / Left margin: each Omm (Supported Paper Size: A4 / Letter / 4 ) 6" / 5 x 7" / 8 x 10")	
	Bordered Printing:	Top margin: 3mm, Bottom margin: 5mm, Left / Right margin: each 3.4mm (Lette / Legal: Left: 6.4mm, Right: 6.3mm)	
Recommended Printing Area	Top Margin:	31.2mm	
	Bottom Margin:	32.5mm	
Paper Size	A4, A5, B5, Letter, Legal, 4 x 6", 5 x 7", Envelopes (DL, COM10), Custom size (width 101.6 - 215.9mm, length 152.4 - 676mm)		
Paper Handling (Rear Tray)	Plain Paper	A4, A5, B5, Letter = 100, Legal = 10	
(Maximum Number)	High Resolution Paper (HR-101N)	A4 = 80	
	Photo Paper Plus Glossy II (PP-201)	4 x 6" = 20	
	Photo Paper Pro Luster (LU-101)	A4 = 10	
	Photo Paper Plus Semi-Gloss (SG-201)	4 x 6" = 20	
	Glossy Photo Paper "Everyday Use" (GP-601)	A4 = 10, 4 x 6" = 20	
	Glossy Photo Paper "Everyday Use" (GP-508)	A4 = 10, 4 x 6" = 20	
	Matte Photo Paper (MP-101)	A4 = 10, 4 x 6" = 20	
	Envelope	European DL / US Com. #10 = 10	
Paper Weight	Rear Tray	Plain Paper: 64 - 105g/m <sup>2</sup> , Canon specialty paper: max paper weight: approx. 275g/m <sup>2</sup> Photo Paper Plus	
		Glossy II (PP-201)	
nk End Sensor	Dot count		
Print Head Alignment	Manual		
Scan <sup>*4</sup>			
Scanner Type	Flatbed		
Scanning Method	CIS (Contact Image Sensor)		
Optical Resolution* <sup>5</sup>	600 x 1200dpi		
Selectable Resolution* <sup>6</sup>	25 - 19200dpi		
Scanning Bit Depth (Input / Output)	Grayscale:	16 / 8-bits	
oodining Dit Doptin (inpatti odipat)	Colour:	48 / 24-bits (RGB each 16 / 8-bits )	
Line Scanning Speed*7	Grayscale:	1.2ms/line (300dpi)	
	Colour:	3.5ms/line (300dpi)	
Scanning Speed* <sup>8</sup>	Reflective: A4 Colour / 300dpi	Approx. 19secs.	
Maximum Document Size	Flatbed:	A4 / Letter (216 x 297mm)	
Copy			
Maximum Document Size	A4 / Letter (216 x 297mm)		
Compatible Media	Size:	A4, Letter	
	0.20.	, Lottoi	

	Туре:	Plain Paper
mage Quality	Fast, Standard	
Copy Speed* <sup>9</sup>	Document: Colour:	Approx. 24secs.
	sFCOT / Simplex:	
	Document: Colour:	Approx. 2.5ipm
	sESAT / Simplex:	
Multiple Copy	Black / Colour:	1 - 21 pages
Network		
Protocol	TCP / IP	
Wireless LAN	Network Type:	IEEE 802.11n / IEEE 802.11g / IEEE 802.11b
	Frequency Band:	2.4GHz
	Channel:	1 - 13
	Range:	Indoor 50m (depends on the
		transmission speed and conditions)
	Security:	WEP 64 / 128-bit, WPA-PSK (TKIP / AES), WPA2-PSK (TKIP / AES)
Direct Connection (Wireless LAN)	Available (AP Mode only)	
Printing Solutions		
Google Cloud Print	Available	
Canon Print Service Plug-In	Available	
(on Android OS)		
PIXMA Cloud Link	From smartphone or tablet:	Available
Canon PRINT Inkjet / SELPHY App	Available	
(for iOS / Android)		
Canon Easy-PhotoPrint		
(for Windows RT)		
System Requirements	Windows:	Windows 10, Windows 8, Windows 7
(Please visit www.canon-asia.com to check OS		Windows 7 SP1, Windows Vista SP2
compatibility and to download the latest driver		Windows XP SP3 32-bit only
updates)	Macintosh:	Mac OS X v10.7.5 and later
General		
Interface	Hi-Speed USB	
Paper Output Tray	A4, Letter = 50, Legal = 10	
Operating Environment* <sup>10</sup>	Temperature:	5 - 35°C
Operating Environment <sup>and</sup>	Humidity:	10 - 90% RH
	namony.	(no dew condensation)
D	Temperature:	15 - 30°C
Recommended Environment *11	Humidity:	10 - 80% RH
	numulty.	(no dew condensation)
Storage Environment	Temperature:	0 - 40°C
Storage Environment		
	Humidity:	5 - 95% RH
Acoustic Noise (PC Print)		(no dew condensation)
	Photo (4 x 6")* <sup>12:</sup>	Approx. 46.0dB(A)
Power	AC 100 - 240V, 50 / 60Hz	
Power Consumption	OFF:	Approx. 0.3W
	Standby (scanning lamp is off)	Approx. 1.7W
	(USB connection to PC):	
	Copying* <sup>13</sup> :	Approx. 14W
	(USB connection to PC)	
Environment	Regulation:	RoHS (EU, China), WEEE (EU)
	Eco-Label:	Energy Star
Dimension (W x D x H)	Approx. 445 x 330 x 163mm	

Specifications are subject to change without notice.

\*1 Ink droplets can be placed with a pitch of 1/4800 inch at minimum.

\*2 Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO / IEC 24734. Photo print speed is based on the default setting using ISO / JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

\*3 Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers.

\*4 TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source Manager comes with the operating system.

\*5 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

\*6 Increasing the scanning resolution will limit the maximum possible scanning area.

\*7 The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.

\*8 Color document scan speed is measured with ISO / IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speeds are the average of sFCOT and sESAT, ISO / IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.

- \*10 The performance of the printer may be reduced under certain temperature and humidity conditions.
- \*11 For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.
- \*12 When printing ISO / JIS-SCID N2 on 4 x 6" Photo Paper Plus Glossy II using default settings.
- \*13 Copy: When copying ISO / JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- Print: When printing ISO / JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

#### Disclaimer

- You need to install ink tanks or ink cartridges / bottles of all colours whether you perform black and white printing or colour printing. If any
  one of the ink tanks or ink cartridges / bottles is not installed, an error occurs and you cannot perform printing.
- Even when black-only or grayscale printing is selected, depending on the printing material and driver settings used, colour inks might still be consumed when printing. When the remaining ink level of any ink tank falls below the lower limit line, Canon recommends that you refill that ink tank with the corresponding colour of ink.
- During the initial printer setup, a certain amount of ink is used to fill the print head's nozzles with ink. Therefore, the page yield of the initial bundled set of ink bottles will be lower than that of the subsequent sets of bottles.
- The estimated page yield and / or print cost stated in brochures / catalogs / websites etc is / are determined not based on the initial set of bundled ink bottles, but based on subsequent sets of ink bottles after print head nozzles have been filled with ink from the initial set of ink bottles.
- To keep printer's performance, Canon printer performs cleaning automatically according to its condition. When the printer performs cleaning, a small amount of ink is consumed.
- In this case, all colours of ink may be consumed.
- [Cleaning function]
- The cleaning function helps the printer to suck air bubbles or ink itself from the nozzle and thus prevents print quality degradation or nozzle clogging.
- The repairing parts for printers will be available five years after production is discontinued. Depending on your model, we may ask you to replace it with a new one, or one with almost the same performance as a maintenance service. In this case, it may be that you cannot use supplies or accessories for your model or the compatible OS will be changed.
- The warranty term for details, contact a Canon-authorized sales representative in the country or region you live in. The warranty covers only the printer main body excluding consumables such as print media and ink / ink bottles even during the warranty period.
- To obtain good printing guality, use up ink within six months after opening.
- Please take note that if the printer fault or breakdown is due to the usage of non-genuine inks, repair charges are applicable even if the claim is within the warranty period.
- Using non-genuine inks may affect the printer's performance and / or the print quality. In some rare occasions, although there are no safety
  issues, using non-genuine inks has caused overheating of the print head and smoke emission from the print head due to the absence of an
  ingredient found in genuine ink. (Does not apply to usage of all non-genuine inks).
- Depending on your terminal, such as a computer or a smartphone, or the operating system of your terminal, such as your computer or smartphone, the estimated ink level information or message displayed on the screen of your terminal may be different from the information or message displayed on the operation panel of the printer. Also, a part of the estimated ink level message displayed on the operation panel of the printer may not be displayed and / or may be displayed at a different point in time. Canon recommends that you use the information and massage displayed on the operation panel of the printer as your reference. Note, however, that such information and message are displayed items serve only as a guideline information.

#### **Consumables for PIXMA G3000**

#### Ink Cartridges / Bottles or Toner Cartridges

Consumables	Price
GI-790 (Black)	INR 499.00
GI-790 (Cyan)	INR 499.00
GI-790 (Magenta)	INR 499.00
GI-790 (Yellow)	INR 499.00

#### Paper

Canon Premium

Premium white paper with consistent performance and reliability for high quality volume copying and printing. Produced using 100% Eucalyptus fibre offering high bulk and opacity.

For further enquiries and information please click here .

Size	Packaging	Price per ream
A4 (70gsm)	500 sheets/ream (5/ctn)	
A4 (80gsm)	500 sheets/ream (5/ctn)	





A4, 80gsm

• Canon Business High Grade

High grade white paper for general office use. Good opacity eliminates show-through with double sided copying and printing.

Size	Packaging	Price per ream
A4 (70gsm)	500 sheets/ream (5/ctn)	
A4 (80gsm)	500 sheets/ream (5/ctn)	



70µm 7.2

A4, 70gsm



#### Canon Standard

Canon Standard is made for high volume and quality printing while keeping the running cost competitive. Ideal paper for your daily high intensity printing needs.

Size	Packaging	Price per ream
A4 (70gsm)	500 sheets/ream (5/ctn)	
A4 (80gsm)	500 sheets/ream (5/ctn)	





# A4, 80gsm

Canon Recycled Plus

Canon Recycled Plus is a quality paper produced with 100% post-consumer waste, without optical whiteners. This paper enables excellent run-ability and is designed for broad range of home and office applications for customers where the environment is of vital importance.

Size	Packaging	Price per ream
A4 (80gsm)	500 sheets/ream (5/ctn)	



# Top Colour Zero

Top Colour Zero papers undergo a special surface treatment during manufacture. The high degree of whiteness and satin gloss gives colour prints a distinctly vivid appearance. Excellent running characteristics allow processing from the paper tray of all colour copiers and laser printers making it ideal for business applications.

Size	Packaging	Price per ream
A4 (90gsm)	500 sheets/ream (5/ctn)	
A4 (100gsm)	500 sheets/ream (5/ctn)	
A4 (120gsm)	500 sheets/ream (4/ctn)	
A4 (160gsm)	250 sheets/ream (5/ctn)	
A4 (200gsm)	250 sheets/ream (4/ctn)	
A4 (250gsm)	250 sheets/ream (4/ctn)	



### Call States

Canon Tints

Tints are evenly spread throughout the paper so every square centimeter on both sides of the paper has the same perfect colour. Canon Tints provide the perfect solution for every kind of business applications. For prints that are impressive, eye catching and vividly expressive. Suitable for copiers, laser printers and inkjet printers.

Size	Packaging	Price per ream
A4 80gsm (Cream)	500 sheets/ream (5/ctn)	
A4 80gsm (Yellow)	500 sheets/ream (5/ctn)	
A4 80gsm (Ice Blue)	500 sheets/ream (5/ctn)	
A4 80gsm (Medium Green)	500 sheets/ream (5/ctn)	
A4 80gsm (Lavender)	500 sheets/ream (5/ctn)	



- HR-101N High Resolution Paper
  - Coated paper
  - Produces brilliantly coloured text and graphic
  - Grammage 106g/m<sup>2</sup>

Size	Packaging	Price
A4	50 sheets	INR 435.00
A4	200 sheets	



- GP-601 Glossy Photo Paper
  - Economical
  - Good Photo Results
  - Glossy Finish. Vibrant Colour.
  - Grammage 210g/m<sup>2</sup>

Size	Packaging	Price
4R	10 sheets	
4R	30 sheets	
4R	100 sheets	
A4	20 sheets	



- GP-508 Glossy Photo Paper
  - Economical
  - Good Photo Results
  - Glossy Finish. Vibrant Colour.
  - Grammage 210g/m<sup>2</sup>

Size	Packaging	Price
4R	20 sheets	
4R	100 sheets	
A4	20 sheets	INR 265.00



- PP-208 Photo Paper Plus Glossy II
  - High quality photo paper
  - Ultra-glossy finish
  - Grammage 270g/m<sup>2</sup>

Size	Packaging	Price per ream
4 x 6"	20 sheets	
4 x 6"	100 sheets	
A4	20 sheets	



- PP-201 Photo Paper Plus Glossy II
  - Excellent Photographic Result
  - Glossy Finish. Vibrant Colour
  - Looks and Feels like a traditional photograph
  - Colours last up to 30 years
  - Grammage 265g/m<sup>2</sup>

Size	Packaging	Price
4R	20 sheets	INR 405.00
A4	20 sheets	INR 845.00





#### MP-101 Matte Photo Paper

- Non-reflective surface
- Suitable for fine art photo printing; capable of producing monochrome images with neutral tone
- Colours last up to 15 years
- Grammage 170g/m<sup>2</sup>

Size	Packaging	Price
4R	120 sheets	
A4	50 sheets	



- PS-108
  - Glossy
  - 16 stickers per sheet
  - Grammage 225g/m<sup>2</sup>

Size	Packaging	Price per ream
4 x 6"	5 sheets	



# • PS-208

- Glossy
- Free Cutting
- Cut out according to a variety of interesting shapes

• Grammage - 225g/m<sup>2</sup>

Size	Packaging	Price
4 x 6"	5 sheets	



- PS-308R
  - Cloth surface
  - Removable
  - Grammage 295g/m<sup>2</sup>

Size	Packaging	Price
4 x 6"	5 sheets	

	3
PS-3058 可能涂照片贴版	

- PS-808
   Glossy
  - Variety Pack, in 4 different types
  - Grammage 225g/m<sup>2</sup>


Size	Packaging	Price per ream
4 x 6"	12 sheets	



### LU-101 Photo Paper Pro Luster

- Fast drying time
- Consistent look and colour under display lighting
- Ideal for studio and special event photos
- Semi-gloss finish
- Grammage 260g/m<sup>2</sup>

Size	Packaging	Price
A4	20 sheets	INR 1 060.00



- SG-201 Photo Paper Plus Semi-Gloss
  - Semi-gloss finish
  - Grammage 260g/m<sup>2</sup>

Size	Packaging	Price
4R	20 sheets	
4R	50 sheets	
A4	20 sheets	INR 935.00



### 8/24/2017

Products are this page DSLRs Compact cameras Inkjet printers Scanners Consumables Personal camcorders (LEGRIA) Compact photo printers (SELPHY) Professional camcorders Projectors Cinema EOS System Where and How to Buy Buy online Where to buy Extend warranty Your Canon + You Your Canon + You Canon Edge - Learn More, Do More EOS tips Compact camera tips Personal camcorder tips PIXMA tips Scanner tips Consumer Beware GST Information Support and Downloads Support and downloads Warranty Terms & Conditions Service Network Camera Repair Status Contact and Canon Contact us About Canon Notices Case studies E-Waste **Customer Testimonials** Corporate Social Responsibility Quality, Environment, Health and Safety Careers at Canon News and Press Statement on Canon India's Official Social Media Sites ducts RSS feed and contests RSS feed