

Canon

Delighting You Always India

Personal
Business

Contact Us
Support and Downloads
About Canon
E-Store
News and Press

PIXMA G2000

**Refillable Ink Tank All-In-One for High
Volume Printing**

Canon's first refillable ink tank All-In-One printer is designed for high volume printing at low running cost.

- Print, Scan, Copy
- ISO Standard print speed (A4): up to 8.8ipm (mono) / 5.0ipm (colour)
- Prints a 4 x 6" borderless photo in 60secs.

[Full Specifications](#) [Compare](#)



Images are for illustration purpose only.

PIXMA

PIXMA G2000

INR 11 995.00

Call us: **1800-180-3366, 1800-208-3366**

High Page Yield Ink Bottles



With high page yield ink bottles up to 7000 pages, users can enjoy printing without having to worry about cost of ink, or ink supplies running low.

Integrated Ink Tank System



Built-in integrated ink tanks create a compact printer body. Users can also view remaining ink levels easily at a glance.

Quality Photo and Document Printing



Borderless photos can be printed up to A4 size, and Canon's Hybrid ink system is equally adept at producing crisp black text documents and stunning photos.

Specifications for PIXMA G2000

Print		
Maximum Printing Resolution	4800 (horizontal)* ¹ x 1200 (vertical) dpi	
Print Head / Ink	Type:	Individual Ink Bottle
	Number of Nozzles:	Total 1,472 nozzles
	Ink Droplet Size:	2pl min
	Ink Bottle:	GI-790 (Cyan, Magenta, Yellow, Black)
Print Speed* ² Based on ISO / IEC 24734. Click here for summary report Click here for Document Print and Copy Speed Measurement Conditions	Document: Colour: ESAT / Simplex:	Approx. 5.0ipm
	Document: B/W: ESAT / Simplex:	Approx. 8.8ipm
	Photo (4 x 6"): PP-201 / Borderless	Approx. 60secs.
	Printable Width	Bordered: Borderless:
Printable Area	Borderless Printing* ³	Top / Bottom / Right / Left margin: each 0mm (Supported Paper Size: A4 / Letter / 4 x 6" / 5 x 7" / 8 x 10")
	Bordered Printing	Top margin: 3mm, Bottom margin: 5mm, Left / Right margin: each 3.4mm (Letter / Legal: Left: 6.4mm, Right: 6.3mm)
Recommended Printing Area	Top margin:	31.2mm
	Bottom margin:	32.5mm
Paper Size	A4, A5, B5, Letter, Legal, 4 x 6", 5 x 7", Envelopes (DL, COM10), Custom size (width 101.6 - 215.9mm, length 152.4 - 676mm)	
Paper Handling (Rear Tray) (Maximum Number)	Plain Paper	A4, A5, B5, Letter = 100, Legal = 10
	High Resolution Paper (HR-101N)	A4 = 80
	Photo Paper Plus Glossy II (PP-201)	4 x 6" = 20
	Photo Paper Pro Luster (LU-101)	A4 = 10
	Photo Paper Plus Semi-Gloss (SG-201)	4 x 6" = 20
	Glossy Photo Paper "Everyday Use" (GP-601)	A4 = 10, 4 x 6" = 20
	Glossy Photo Paper "Everyday Use" (GP-508)	A4 = 10, 4 x 6" = 20
	Matte Photo Paper (MP-101)	A4 = 10, 4 x 6" = 20
	Envelope	European DL / US Com. #10 = 10
Paper Weight	Rear Tray	Plain Paper: 64 - 105g/m ² , Canon specialty paper: max paper weight : approx. 275g/m ² Photo Paper Plus Glossy II (PP-201)
Ink End Sensor	Dot count	
Print Head Alignment	Manual	
Scan*⁴		
Scanner Type	Flatbed	
Scanning Method	CIS (Contact Image Sensor)	
Optical Resolution* ⁵	600 x 1200dpi	
Selectable Resolution* ⁶	25 - 19200dpi	
Scanning Bit Depth (Input / Output)	Grayscale:	16 / 8-bit
	Colour:	48 / 24-bit (RGB each 16 / 8-bit)
Line Scanning Speed* ⁷	Grayscale:	1.2ms/line (300dpi)
	Colour:	3.5ms/line (300dpi)
Scanning Speed* ⁸	Reflective: A4 Colour / 300dpi	Approx. 19secs.
Maximum Document Size	Flatbed:	A4 / Letter (216 x 297mm)
Copy		
Maximum Document Size	A4 / Letter (216 x 297mm)	
Compatible Media	Size:	A4, Letter
	Type:	Plain Paper
Image Quality	Fast, Standard	
Copy Speed* ⁹	Document: Colour sFCOT / Simplex	Approx. 32secs.
	Document: Colour sESAT / Simplex	Approx. 1.7ipm
	Multiple Copy	Black / Colour:
System Requirements (Please visit www.canon-asia.com to check OS compatibility and to download the latest driver updates)	Windows:	Windows 10, Windows 8, Windows 7, Windows 7 SP1, Windows Vista SP2, Windows XP SP3 32-bit only
	Macintosh:	Mac OS X v10.7.5 and later
General Specifications		
Interface	Hi-Speed USB	
Paper Output Tray	A4, Letter = 50, Legal = 10	
Operating Environment* ¹⁰	Temperature:	5 - 35°C
	Humidity:	10 - 90% RH (no dew condensation)
Recommended Environment* ¹¹	Temperature:	15 - 30°C
	Humidity:	10 - 80% RH (no dew condensation)

Storage Environment	Temperature:	0 - 40°C
	Humidity:	5 - 95% RH (no dew condensation)
Acoustic Noise (PC Print)	Photo (4 x 6")*12	Approx. 46.0dB(A)
Power	AC 100 - 240V; 50 / 60Hz	
Power Consumption	OFF:	Approx. 0.4W
	Standby (scanning lamp is off): (USB connection to PC)	Approx. 0.8W
	Copying*13: (USB connection to PC)	Approx. 11W
Environment	Regulation:	RoHS (EU, China), WEEE (EU)
	Eco-Label:	Energy Star
Dimension (W x D x H)	Approx. 445 x 330 x 163mm	
Weight	Approx. 5.8kg	

Specifications are subject to change without notice.

*1	Ink droplets can be placed with a pitch of 1/4800 inch at minimum.
*2	Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO / IEC 24734. Photo print speed is based on the default setting using ISO / JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
*3	Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers.
*4	TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source Manager comes with the operating system.
*5	Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
*6	Increasing the scanning resolution will limit the maximum possible scanning area.
*7	The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
*8	Color document scan speed is measured with ISO / IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
*9	Copy speeds are the average of sFCOT and sESAT, ISO / IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
*10	The performance of the printer may be reduced under certain temperature and humidity conditions.
*11	For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.
*12	When printing ISO / JIS-SCID N2 on 4 x 6" Photo Paper Plus Glossy II using default settings.
*13	Copy: When copying ISO / JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings. Print: When printing ISO / JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

Disclaimer

•	You need to install ink tanks or ink cartridges / bottles of all colours whether you perform black and white printing or colour printing. If any one of the ink tanks or ink cartridges / bottles is not installed, an error occurs and you cannot perform printing.
•	Even when black-only or grayscale printing is selected, depending on the printing material and driver settings used, colour inks might still be consumed when printing. When the remaining ink level of any ink tank falls below the lower limit line, Canon recommends that you refill that ink tank with the corresponding colour of ink.
•	During the initial printer setup, a certain amount of ink is used to fill the print head's nozzles with ink. Therefore, the page yield of the initial bundled set of ink bottles will be lower than that of the subsequent sets of bottles.
•	The estimated page yield and / or print cost stated in brochures / catalogs / websites etc is / are determined not based on the initial set of bundled ink bottles, but based on subsequent sets of ink bottles after print head nozzles have been filled with ink from the initial set of ink bottles.
•	To keep printer's performance, Canon printer performs cleaning automatically according to its condition. When the printer performs cleaning, a small amount of ink is consumed. In this case, all colours of ink may be consumed. [Cleaning function] The cleaning function helps the printer to suck air bubbles or ink itself from the nozzle and thus prevents print quality degradation or nozzle clogging.
•	The repairing parts for printers will be available five years after production is discontinued. Depending on your model, we may ask you to replace it with a new one, or one with almost the same performance as a maintenance service. In this case, it may be that you cannot use supplies or accessories for your model or the compatible OS will be changed.
•	The warranty term for details, contact a Canon-authorized sales representative in the country or region you live in. The warranty covers only the printer main body excluding consumables such as print media and ink / ink bottles even during the warranty period.
•	To obtain good printing quality, use up ink within six months after opening.
•	Please take note that if the printer fault or breakdown is due to the usage of non-genuine inks, repair charges are applicable even if the claim is within the warranty period.
•	Using non-genuine inks may affect the printer's performance and / or the print quality. In some rare occasions, although there are no safety issues, using non-genuine inks has caused overheating of the print head and smoke emission from the print head due to the absence of an ingredient found in genuine ink. (Does not apply to usage of all non-genuine inks).
•	Depending on your terminal, such as a computer or a smartphone, or the operating system of your terminal, such as your computer or smartphone, the estimated ink level information or message displayed on the screen of your terminal may be different from the information or message displayed on the operation panel of the printer. Also, a part of the estimated ink level message displayed on the operation panel of the printer may not be displayed and / or may be displayed at a different point in time. Canon recommends that you use the information and message displayed on the operation panel of the printer as your reference. Note, however, that such information and message are displayed items serve only as a guideline information.

Consumables for PIXMA G2000

Ink Cartridges / Bottles or Toner Cartridges

Consumables	Price
GI-790 (Black)	INR 499.00
GI-790 (Cyan)	INR 499.00
GI-790 (Magenta)	INR 499.00
GI-790 (Yellow)	INR 499.00

Paper

- Canon Premium

Premium white paper with consistent performance and reliability for high quality volume copying and printing. Produced using 100% Eucalyptus fibre offering high bulk and opacity.

For further enquiries and information please click [here](#) .

Size	Packaging	Price per ream
A4 (70gsm)	500 sheets/ream (5/ctn)	
A4 (80gsm)	500 sheets/ream (5/ctn)	



A4, 70gsm



A4, 80gsm

- Canon Business High Grade

High grade white paper for general office use. Good opacity eliminates show-through with double sided copying and printing.

Size	Packaging	Price per ream
A4 (70gsm)	500 sheets/ream (5/ctn)	
A4 (80gsm)	500 sheets/ream (5/ctn)	



A4, 70gsm



A4, 80gsm

- Canon Standard

Canon Standard is made for high volume and quality printing while keeping the running cost competitive. Ideal paper for your daily high intensity printing needs.

Size	Packaging	Price per ream
A4 (70gsm)	500 sheets/ream (5/ctn)	
A4 (80gsm)	500 sheets/ream (5/ctn)	



A4, 70gsm



A4, 80gsm

- Canon Recycled Plus

Canon Recycled Plus is a quality paper produced with 100% post-consumer waste, without optical whiteners. This paper enables excellent run-ability and is designed for broad range of home and office applications for customers where the environment is of vital importance.

Size	Packaging	Price per ream
A4 (80gsm)	500 sheets/ream (5/ctn)	



- Top Colour Zero

Top Colour Zero papers undergo a special surface treatment during manufacture. The high degree of whiteness and satin gloss gives colour prints a distinctly vivid appearance. Excellent running characteristics allow processing from the paper tray of all colour copiers and laser printers making it ideal for business applications.

Size	Packaging	Price per ream
A4 (90gsm)	500 sheets/ream (5/ctn)	
A4 (100gsm)	500 sheets/ream (5/ctn)	
A4 (120gsm)	500 sheets/ream (4/ctn)	
A4 (160gsm)	250 sheets/ream (5/ctn)	
A4 (200gsm)	250 sheets/ream (4/ctn)	
A4 (250gsm)	250 sheets/ream (4/ctn)	



- Canon Tints

Tints are evenly spread throughout the paper so every square centimeter on both sides of the paper has the same perfect colour. Canon Tints provide the perfect solution for every kind of business applications. For prints that are impressive, eye catching and vividly expressive. Suitable for copiers, laser printers and inkjet printers.

Size	Packaging	Price per ream
A4 80gsm (Cream)	500 sheets/ream (5/ctn)	
A4 80gsm (Yellow)	500 sheets/ream (5/ctn)	
A4 80gsm (Ice Blue)	500 sheets/ream (5/ctn)	
A4 80gsm (Medium Green)	500 sheets/ream (5/ctn)	
A4 80gsm (Lavender)	500 sheets/ream (5/ctn)	



- HR-101N High Resolution Paper

- Coated paper
- Produces brilliantly coloured text and graphic
- Grammage – 106g/m²

Size	Packaging	Price
------	-----------	-------

A4	50 sheets	INR 435.00
A4	200 sheets	




- GP-601 Glossy Photo Paper
 - Economical
 - Good Photo Results
 - Glossy Finish. Vibrant Colour.
 - Grammage - 210g/m²

Size	Packaging	Price
4R	10 sheets	
4R	30 sheets	
4R	100 sheets	
A4	20 sheets	



- GP-508 Glossy Photo Paper
 - Economical
 - Good Photo Results
 - Glossy Finish. Vibrant Colour.
 - Grammage - 210g/m²

Size	Packaging	Price
4R	20 sheets	
4R	100 sheets	
A4	20 sheets	INR 265.00



- PP-208 Photo Paper Plus Glossy II
 - High quality photo paper
 - Ultra-glossy finish
 - Grammage - 270g/m²

Size	Packaging	Price per ream
4 x 6"	20 sheets	
4 x 6"	100 sheets	
A4	20 sheets	



- PP-201 Photo Paper Plus Glossy II
 - Excellent Photographic Result
 - Glossy Finish. Vibrant Colour

- Looks and Feels like a traditional photograph
- Colours last up to 30 years
- Grammage - 265g/m²

Size	Packaging	Price
4R	20 sheets	INR 405.00
A4	20 sheets	INR 845.00



- MP-101 Matte Photo Paper
 - Non-reflective surface
 - Suitable for fine art printing; capable of producing monochrome images with neutral tone
 - Colours last up to 15 years
 - Grammage – 170g/m²

Size	Packaging	Price
4R	120 sheets	
A4	50 sheets	



- PS-108
 - Glossy
 - 16 stickers per sheet
 - Grammage - 225g/m²

Size	Packaging	Price per ream
4 x 6"	5 sheets	



- PS-208
 - Glossy
 - Free Cutting
 - Cut out according to a variety of interesting shapes
 - Grammage - 225g/m²

Size	Packaging	Price
4 x 6"	5 sheets	



- PS-308R
 - Cloth surface
 - Removable
 - Grammage – 295g/m²

Size	Packaging	Price
4 x 6"	5 sheets	




- PS-808
 - Glossy
 - Variety Pack, in 4 different types
 - Grammage - 225g/m²

Size	Packaging	Price per ream
4 x 6"	12 sheets	



- LU-101 Photo Paper Pro Luster
 - Fast drying time
 - Consistent look and colour under display lighting
 - Ideal for studio and special event photos
 - Semi-gloss finish
 - Grammage - 260g/m²

Size	Packaging	Price
A4	20 sheets	INR 1 060.00



- SG-201 Photo Paper Plus Semi-Gloss
 - Semi-gloss finish
 - Grammage - 260g/m²

Size	Packaging	Price
4R	20 sheets	
4R	50 sheets	
A4	20 sheets	INR 935.00



il

ss

ire this page Products

DSLRs

Compact cameras

Inkjet printers

Scanners

Consumables

Personal camcorders

(LEGRIA)

Compact photo printers

(SELPHY)

Professional camcorders

Projectors

Cinema EOS System

Where and How to Buy

Buy online

Where to buy

Extend warranty

Your Canon + You

Your Canon + You

Canon Edge - Learn More,

Do More

EOS tips

Compact camera tips

Personal camcorder tips

PIXMA tips

Scanner tips

Consumer Beware

GST Information

Support and Downloads

Support and downloads

Warranty Terms &

Conditions

Service Network

Camera Repair Status

Contact and Canon

Contact us

About Canon

Notices

Case studies

E-Waste

Customer Testimonials

Corporate Social

Responsibility

Quality, Environment,

Health and Safety

Careers at Canon

News and Press

Statement on Canon India's

Official Social Media Sites

Products RSS feed

and contests RSS feed